
































P/N Art. Nr.				Weight Gewicht
<p><b>1 m: 065-010-878-001</b> • LEVELMETER 2000  <b>2.5 m: 065-025-878-001</b> • LEVELMETER LIGHT  <b>5 m: 065-050-878-001</b> • Transceiver TC  <b>10 m: 065-100-878-001</b> • BlueTC  <b>15 m: 065-150-878-001</b> • BlueMETER / SIGMA                      • BlueMETER BASIC                      • CLINO 2000                      • MultiTC                      • Remote Display</p>		+ 24 V / + 5 V / RS485	<ul style="list-style-type: none"> <li>ZEROTRONIC</li> <li>BlueLEVEL / BASIC</li> <li>BlueLEVEL-2D</li> <li>Clinotronic PLUS</li> <li>CLINO 2000</li> <li>Transceiver TC</li> <li>BlueCLINO / HP</li> <li>ZEROMATIC</li> </ul>	90 g (1 m)  600 g (15 m)
RS485	8p / male	Cable (WY-BUS) / grey Kabel (WY-BUS) / grau	8p / male	RS485
<p><b>0.8 m: 065-008-878W001</b> • LEVELMETER 2000  <b>2.5 m: 065-025-878W001</b> • LEVELMETER LIGHT  <b>3.0 m: 065-030-878W001</b> • Transceiver TC  <b>4.0 m: 065-040-878W001</b> • BlueTC  <b>5.0 m: 065-050-878W001</b> • BlueMETER / SIGMA                      • BlueMETER BASIC                      • CLINO 2000                      • MultiTC                      • Remote Display</p>		+ 24 V / + 5 V / RS485	<ul style="list-style-type: none"> <li>ZEROTRONIC</li> <li>BlueLEVEL / BASIC</li> <li>BlueLEVEL-2D</li> <li>Clinotronic PLUS</li> <li>CLINO 2000</li> <li>Transceiver TC</li> <li>BlueCLINO / HP</li> <li>ZEROMATIC</li> </ul>	80 g (0.8 m)  230 g (5 m)
RS485	8p / male	Cable (WY-BUS) / grey Kabel (WY-BUS) / grau	8p / male	RS485
<p><b>2.5 m: 011-025-638-065</b> • LEVELMETER 2000  <b>5 m: 011-050-638-065</b> • LEVELMETER LIGHT  <b>10 m: 011-100-638-065</b> • Remote Display                      • BlueMETER / SIGMA</p>			<ul style="list-style-type: none"> <li>Minilevel NT</li> <li>Leveltronic NT</li> </ul>	140... 370 g
RS485	8p / male	Cable for NT-Instruments / grey Kabel für NT-Geräte / grau	6p / male	RS485
<p><b>0.2 m: 011-002-638W065</b> • LEVELMETER 2000  <b>2.5 m: 011-025-638W065</b> • LEVELMETER LIGHT  <b>5 m: 011-050-638W065</b> • Remote Display  <b>10 m: 011-100-638W065</b> • BlueMETER / SIGMA</p>			<ul style="list-style-type: none"> <li>Minilevel NT</li> <li>Leveltronic NT</li> </ul>	45... 360 g
RS485	8p / male	Cable with angular connector for NT-Instruments/grey Winkelkabel für NT-Geräte / grau	6p / male	RS485
<p><b>2.5 m: 010-025-8D1-025</b> • Levelmeter C25  <b>5 m: 010-050-8D1-025</b> • Leveladapter 2000  <b>10 m: 010-100-8D1-025</b></p>			<ul style="list-style-type: none"> <li>Minilevel A10</li> <li>Minilevel NT</li> <li>Leveltronic NT</li> </ul>	150... 350 g
	6p / male	black / schwarz	6p / male	
<p><b>2.5 m: 040-025-8D1-025</b> • Levelmeter 25  <b>5 m: 040-050-8D1-025</b>  <b>10 m: 040-100-8D1-025</b></p>			<ul style="list-style-type: none"> <li>Leveltronic A40</li> </ul>	150... 350 g
	6p / male	grey / grau	6p / male	
<p><b>2.5 m: 031-025-8D1-025</b> • Levelmeter C25  <b>5 m: 031-050-8D1-025</b>  <b>7 m: 031-070-8D1-025</b>  <b>10 m: 031-100-8D1-025</b></p>			<ul style="list-style-type: none"> <li>LEVELMATIC A31</li> </ul>	150... 350 g
	6p / male	grey / grau	7p / male	
<p><b>100 m: 065-100M848-02A</b> • LEVELMETER 2000                      • Transceiver TC                      • BlueTC  <b>200 m: 065-200M848-02A</b> • CLINO 2000                      • MultiTC</p>		+ 24 V / RS485 grey / grau	<ul style="list-style-type: none"> <li>BlueLEVEL</li> <li>BlueLEVEL BASIC</li> <li>BlueLEVEL-2D</li> <li>Clinotronic PLUS</li> <li>CLINO 2000</li> <li>Transceiver TC</li> <li>BlueCLINO / HP</li> <li>ZEROMATIC (with external power supply)</li> <li>MultiTC</li> <li>BlueTC</li> </ul>	3700 g (100 m)  7400 g (200 m)
RS485	8p / male	Long distance BUS-cable BUS-Kabel für lange Distanzen	8p / male	RS485

P/N Art. Nr.				Weight Gewicht	
2.5 m: 065-025-838-232	<ul style="list-style-type: none"> <li>• LED CROSS-/KREUZ</li> <li>• LEVELMETER LIGHT</li> <li>• Remote Display</li> </ul>		<ul style="list-style-type: none"> <li>• CLINO 2000</li> <li>• LEVELMETER 2000</li> </ul>	75 g	
	RS485	8p / male	grey / grau	8p / male	RS232
2.5 m: 016-025-978-04A			<ul style="list-style-type: none"> <li>• BlueMETER / SIGMA</li> <li>• BlueMETER BASIC</li> <li>• BlueMETER LIGHT</li> <li>• (BlueLEVEL / BASIC)</li> <li>• BlueLEVEL 2D</li> <li>• BlueTC</li> <li>• BlueCLINO / HP</li> <li>• MultiTC</li> </ul>	180 g	
	RS232	9p / female	blue / blau	8p / male	RS232
2.5 m: 016-025-978-PC+			<ul style="list-style-type: none"> <li>• BlueMETER / SIGMA</li> <li>• BlueMETER BASIC</li> <li>• BlueMETER LIGHT</li> <li>• (BlueLEVEL / BASIC)</li> <li>• BlueLEVEL 2D</li> <li>• BlueTC</li> <li>• BlueCLINO / HP</li> <li>• MultiTC</li> </ul>	200 g	
	RS232	9p / female	blue / blau	8p / male	RS232
2.5 m: 016-232-IR0			<ul style="list-style-type: none"> <li>• BlueMETER / SIGMA</li> <li>• BlueMETER BASIC</li> <li>• BlueMETER LIGHT</li> <li>• (BlueLEVEL / BASIC)</li> <li>• BlueLEVEL 2D</li> <li>• BlueTC</li> <li>• BlueCLINO / HP</li> <li>• MultiTC</li> </ul>		
	USB / RS232	9p / female	blue / blau	8p / male	RS232
<p>consisting of/ bestehend aus:</p> <ul style="list-style-type: none"> <li>• 016-025-978-PC+ (Cable/Kabel)</li> <li>• 065-025-KEY (Remote key / Auslösetaster)</li> <li>• 065-003-001-24V (Power supply 24 V / Netzteil 24 V)</li> <li>• 024-232-USB</li> </ul>					
2.5 m: 016-025-232-USB			<ul style="list-style-type: none"> <li>• BlueMETER SIGMA</li> <li>• BlueLEVEL 2D</li> <li>• BlueTC</li> <li>• BlueCLINO / HP</li> <li>• MultiTC</li> </ul>	150 g	
	Interface USB <=> RS232 with 5 Volt supply	USB	blue / blau	8p / male	RS232
2.5 m: 065-025-978-04A			<ul style="list-style-type: none"> <li>• TC</li> <li>• LEVELMETER 2000</li> <li>• CLINO 2000</li> </ul>	180 g	
	RS232	9p / female	grey / grau	8p / male	RS232
2.5 m: 065-025-978-PC+			<ul style="list-style-type: none"> <li>• TC</li> <li>• LEVELMETER 2000</li> <li>• CLINO 2000</li> </ul>	200 g	
	RS232	9p / female	grey / grau	8p / male	RS232

P/N Art. Nr.					Weight Gewicht		
024-025-050-001			2.5 m	5 m	• LEVELMETER 2000	380 g	
	RS232	9p / female		8p / male	RS232		
065-232-005					• LEVELMETER 2000		
	RS232	9p / female		8p / male	RS232		
		consisting of/ bestehend aus • 024-025-050-001 (see above/siehe oben) • 065-003-001-24V (Power supply 24 V/Netzgerät 24 V)					
3.0 m: 024-000-030-IR					• LEVELMETER 2000	220 g	
	RS232	9p / female	Serial cable / Serielles Kabel	8p / male	RS232		
2.5 m: 015-025-928-232					• Clinotronic PLUS (LabEXCEL CLINO)	90 g	
	RS232	9p / female / red	grey / grau	8p / male	RS485		
065-STECKER-232 065-025-878-001					• Clinotronic PLUS (LabEXCEL CLINO)	60 g	
	RS232	Adapter RS232/RS485	8p male Universal Cable (WyBUS) / grey Universal Kabel (WyBUS) / grau	8p male	RS485		
1.8m: 015-018-468-USB					• Clinotronic PLUS (LabEXCEL CLINO)	100 g	
	USB		black / schwarz	8p / male	RS485		
1.8 m: 065-018-989-PC Attention: Not for Leveladapter 2000					• MINI TC	130 g	
	RS232	9p / female	Cable for serial connection 1:1 / grey Kabel für seriellen Anschluss 1:1 / grau	9p / male	RS232		
1.0 m: 065-003-4-20 incl. cable					• ZEROTRONIC Type 3 only PWM-OUT	260 g	
	Current converter	with AD-card mit AD-Wandlerkarte	065-003-4-20	4p / male	grey / grau	8p / male	PWM-OUT
	+ 24 V / I <sub>out</sub> / GND						

P/N Art. Nr.	Weight Gewicht
<p><b>0.2 m: 024-232-USB</b></p> <p>Interface USB &lt;=&gt; RS232</p>	40 g
 USB	 white / weiss      9p / male      RS232
<p><b>2.5 m: 065-025-KEY</b></p> <ul style="list-style-type: none"> <li>• BlueSYSTEM</li> <li>• Mini TC</li> <li>• MultiTC</li> </ul>	40 g
 8p / male	 grey / grau      • User • Benutzer
<p><b>016-001-VKEY</b></p> <ul style="list-style-type: none"> <li>• BlueLEVEL</li> <li>• BlueCLINO</li> <li>• BlueCLINO HP</li> </ul>	25 g
 8p / male	• User • Benutzer
<p><b>2.5 m: 015-025-8D1PLUS</b></p>	40 g
 Clinotronic PLUS	 8p / male      grey / grau      • User • Benutzer