




Bench table PS16 V2 LV

DESCRIPTION SMART

• Measuring bench similar to the PS16 V2 bench, but equipped with a table and anvils assembly allowing to measure large internal diameters up to 74 mm.

- Originally designed for measuring watch cases, it is also suitable for measuring rings and thin parts.
- 2-point measurement with positioning of the workpiece in the measuring axis by 2 movable centring pins
- Table height adjustable by up to 20 mm (a mini dial indicator can be mounted on the table to check its movement)
- Available in 3 versions :
 - 808-1233: version for measuring internal diameters from 12 to 62 mm
 - 808-1234: execution for measuring internal diameters 24 to 74 mm
 - 808-1235: special version for measuring outside diameters 0 to 50 mm
- Supplied with 0.4 mm thick measuring anvils.






Bench table

PS16 V2 LV

DIMENSIONAL DRAWINGS

SMART



TECHNICAL SPECIFICATIONS

External and internal measurement		808-1233	808-1234	808-1235			
Max. Capacity C	mm	Ø 12 - 62	Ø 18 - 68	Ø 0 - 50			
Measuring type		Internal me	External measurement				
Max. Error	μm	6.0	6.0	6.0			
Repeatability	μm	1.5	1.5	1.5			
Resolution	μm	0.1	0.1	0.1			
Measuring force (Adjustable)	N	0.1 - 0.6 1)					
Weight	kg	5.1	5.1	5.1			
Output data		Bluetooth® wireless technology* / RS232 / USB					

^{1) ± 20%}

STANDARD DELIVERY

- Instrument according to technical specifications
- Lithium battery CR2477 included
- Adapter for Lithium battery CR2032
- Instruction manual

- Calibration certificate
- Anvils 0.4mm and LV table included
- Dust cover






Bench table

PS16 V2

TABLES, PLATES AND LAPPING



ACCESSORIES

		S16 V2 25	PS16 V2 50	PS16 V2 LV	points	Goutte
N°	Designation	ď	ď	ڪ	က	9
908-2194	Digital indicator holder (display height / depth)			•		
908-2198	Replacement lapping stone for 908-2199	•	•			•
908-2199	Lapping device (3 stones and lapping liquid included)	•	•			•
808-2196	Setting ring Ø20mm			•		
808-2197	Setting ring Ø30mm			•		

Lapping device

- Device for lapping the anvils on the PS15 BH, PS16 V2 and PS17 measuring benches, enabling perfect parallelism of the anvils for greater measuring accuracy.
- Set consisting of a movable element with linear guide and a motorised rotary drive system for the honing stone
- Delivered complete with 3 honing stones and a bottle of honing liquid.

ANVILS

Compatible anvils list at the end of this chapter.