

# Caliper mid size

# S\_Cal EVO Form E

## DESCRIPTION

## MID SIZE CALIPER R5

- High-quality, ergonomic caliper with integrated Bluetooth® system
- Equipped with long, 100 mm long beaks with a clear end, enabling both external and internal dimensions to be measured from 10.1 mm upwards.
- Hardened and ground stainless steel rod 5 mm thick
- New extra-large display unit with 11.5 mm high digits
- Convenient push button for sending data that can also be programmed with another function
- Memorising the home position even when the instrument is switched off
- Measuring range 300 mm
- Protection class IP67



Digital display LCD,  
Height of digits 11.5 mm

Programmable button  
according to your needs

Bluetooth® technology

Thickness of frame 5 mm

Jaws for internal/external  
measurement

Simple and intuitive  
functions

## ISO 13385-1



## Mid size caliper

**SIS** Smart  
Inductive  
System



**IP67**

\* **SIS** Smart Inductive System description on page 5




# Caliper mid size

# S\_Cal EVO Form E

## DIMENSIONAL DRAWING

## MID SIZE CALIPER R5



## TECHNICAL SPECIFICATIONS

		810-1546
Measuring range	mm	300
Accuracy	mm	0.03
Resolution	mm	0.01
A	mm	425
Bar section	mm	17x5
Protection rating according to IEC 60529		IP67
Output data		Bluetooth® wireless technology*
Functions		Zero setting, Preset (max 999.99), mm/inch, Hold, Data
Smart Inductive Sensor		●

\* Up to 8 instruments connected per dongle #981-7100


# Caliper mid size

# S\_Cal EVO Form B

## DESCRIPTION

## MID SIZE CALIPER R5 WITH UPPER JAWS

- High-quality, ergonomic caliper with integrated Bluetooth® system
- Equipped with long 100 mm beaks free at the end for measuring both external and internal dimensions from 10.1 mm and small top beaks for measuring internal dimensions.
- Hardened and ground stainless steel rod 5 mm thick
- New extra-large display unit with 11.5 mm high digits
- Convenient push button for sending data that can also be programmed with another function
- Memorising the home position even when the instrument is switched off
- Measuring range 300 and 500 mm
- Protection class IP67



**ISO 13385-1**



**SIS** Smart Inductive System



**IP67**

**Mid size caliper with upper jaws**

\* SIS description on page 5




# Caliper mid size

# S\_Cal EVO Form B

## DIMENSIONAL DRAWING

## MID SIZE CALIPER R5 WITH UPPER JAWS



## TECHNICAL SPECIFICATIONS

		810-1556	810-1558
Measuring range	mm	300	500
Accuracy	mm	0.03	
Resolution	mm	0.01	
A	mm	425	525
Bar section	mm	17x5	
Protection rating according to IEC 60529		IP67	
Output data		Bluetooth® wireless technology*	
Functions		Zero setting, Preset (max 999.99), mm/inch, Hold, Data	
Smart Inductive Sensor		●	

\* Up to 8 instruments connected per dongle #981-7100